INDEX TO VOLUME XLII

AUTHORS

Page

Alvarado, G. (see F. Tello) 368
Alvarez-Tostado, M. A. (see F. Tello) 368
Anderson, R. A. Communication to the Editor: Wet-milling characteristics of class 8 amylomaize 580
Ashton, G. C. (see N. A. G. Cave) 523, 533
Attia, F., and R. D. Creek. Studies on raw and heated wheat germ for young chicks 494

Babcock, G. E. (see R. W. Jones) 210
Badenhuizen, N. P., and K. R. Chandorkar. UDPG-alpha-glucan glucosyltransferase and amylose content of some starches during their development under various external conditions. 44
Baldi, Virginia, Louise Little, and E. Elizabeth Hester. Effect of the kind and proportion of flour components and of sucrose level on cake structure 462
Barney, J. E., II, H. B. Pollock, and C. C. Bolze. A study of the relationship between viscoelastic properties and the chemical nature of wheat gluten and glutenin 215
Bernardin, J. E., D. K. Mecham, and J. W. Pence. Proteolytic action of wheat flour on nonfat dry milk proteins 97
Bolze, C. C. (see J. E. Barney II) 215
Boundy, Joyce A. (see J. E. Turner) 452
Bradley, W. B. (see F. N. Hepburn) 140
Brekke, O. L. Corn dry-milling: effect of temper time and moisture level on degerminator performance 288
Brelsford, D. L. (see K. J. Goering) 15
Briggs, D. R. (see R. C. Roberts) 71
Bunting, W. R. The stability of pyridoxine added to cereals 569
Burkwall, M. P., Jr., and R. L. Glass. The fatty acids of wheat and its milled products 236

Carter, J. E., and J. Pace. Some interrelationships of ascorbic acid and dehydroascorbic acid in the presence of flour suspensions and in dough 201
Cave, N. A. G., S. J. Slinger, J. D. Summers, and G. C. Ashton. The nutritional value of wheat milling by-products for the growing chick.
I. Availability of energy 523
Cave, N. A. G., J. D. Summers, S. J. Slinger, and G. C. Ashton. The nutritional value of wheat milling by-products for the growing chick.
II. Evaluation of protein 533
Chandorkar, K. R. (see N. P. Badenhuizen) 44
Chen, C. (see C. C. Lee) 573
Chen, H.-C. (see L. Fan) 385
Chung, D. S. (see L. Fan) 385
Cole, Elaine G. (see D. K. Mecham) 409
Commerford, J. D., and B. L. Scallet. Reactions of oligosaccharides. I. Ferricyanide numbers 485
Creek, R. D. (see F. Attia) 494

Dempster, C. J. (see R. H. Kilborn) 432
Deobald, H. J. (see F. L. Normand) 359
Dimler, R. J. (see S. R. Erlander) 175
——— (see R. W. Jones) 210
——— (see J. E. Turner) 452
Donelson, D. H. (see J. T. Wilson) 25

Erlander, S. R., J. P. McGuire, and R. J. Dimler. An anomalous low-molecular-weight branched component in dent corn starch 175

Fan, L., H.-C. Chen, J. A. Shellenberger, and D. S. Chung. Comparison of the rates of absorption of water by corn kernels with and without dissolved sulfur dioxide 385
Fantík, J. (see V. Podrazký) 107

Ganz, A. J. Communication to the Editor: Effect of sodium chloride on the pasting of wheat starch granules 429
Gastineau, J. E. (see Rose M. Ward) 421
Gilles, K. A., L. D. Sibbitt, M. O. Holoien, and D. E. Peterson. Computer evaluation and machine listing of wheat quality data 247

——— (see D. G. Medcalf) . . 546, 558
Glass, R. L. (see M. P. Burkwall, Jr.) 236
Goering, K. J., and D. L. Brelsford. Barley starch. II. Some properties of barley starch 15
Gracza, R. Aging and storage studies in flours and air-classified flour fractions 333
Greenaway, W. T., M. H. Neustadt, and L. Zeleny. Communication to the Editor: A test for stinkbug damage in wheat 577

Henika, R. G., and N. E. Rodgers. Reactions of cysteine, bromate, and whey in a rapid breadmaking process 397
Hepburn, F. N., and W. B. Bradley. The amino acid composition of hard wheat varieties as a function of nitrogen content 140
Hester, E. Elizabeth (see Virginia Baldi) 462
——— (see Mariette Ott) 476
Hlynka, I. (see H. G. Muller) 303
Hogan, J. T. (see F. L. Normand) 359
Holoien, M. O. (see K. A. Gilles) . 247

Jackson, G. R., and B. W. Landfried. The effect of various glycerides on the baking properties of starch doughs 323
Jankiewicz, M., and Y. Pomeranz. Comparison of the effects of N-ethylmaleimide and urea on rheological properties of dough . 37
Johnson, R. M. Light-reflectance meter measures degree of milling and parboiling of parboiled rice 167
Jones, R. W., G. E. Babcock, and R. J. Dimler. Molecular weight of the gamma-gliadin component of wheat gluten 210

Katz, R., and M. R. Querry. Calcium content of wheat kernel sections by critical microradiography 187
Kent, N. L. Effect of moisture content of wheat and flour on endosperm breakdown and protein displacement 125
Kilborn, R. H., and C. J. Dempster. Communication to the Editor: Power-input meter for laboratory dough mixers 432
Kuzina, F. D. (see H. G. Muller) . 303

Lagendijk, J., and J. van Dalfsen. Classification of puff-pastry fats and margarines based on dough firmness 255
Landfried, B. W. (see G. R. Jackson) 323
Lee, C. C., and C. Chen. A note on the disappearance of radicals trapped in gamma-irradiated starch and gluten 573
Lee, T., W. T. Wu, and Virginia R. Williams. The effect of storage time on the compositional patterns of rice fatty acids 498
Little, Louise (see Virginia Baldi) 462
Lloyd, N. E. (see L. D. Ough) . . . 1

Mark, A. M., W. B. Roth, H. F. Zobel, and C. L. Mehltretter. Communication to the Editor: Properties of dimethyl sulfoxide-pretreated amylomaize starch . . 209
McBurney, Linda J., and M. Doreen Smith. Effect of esterified phosphorus in potato starch on the action pattern of salivary alpha-amylase 161
McGuire, J. P. (see S. R. Erlander) 175
Mecham, D. K., Elaine G. Cole, and J. W. Pence. Dough-mixing properties of crude and purified glutens 409
——— (see J. E. Bernardin) 97
Medcalf, D. G., and K. A. Gilles. Determination of starch damage by rate of iodine absorption . . 546
———, **and** ———. Wheat starches. I. Comparison of physicochemical properties 558
Mehltretter, C. L. (see A. M. Mark) 209
Meredith, P. On the solubility of gliadinlike proteins
I. Solubility in nonaqueous media 54
II. Solubility in aqueous acid media 64
III. Fractionation by solubility . 149
Mullen, J. D., and D. E. Smith. Studies on short- and long-mixing flours. I. Solubility and electrophoretic composition of proteins 263
——— (see D. E. Smith) . . . 275, 515
Muller, H. G., I. Hlynka, and F. D. Kuzina. Effects of some organic solvents on extensigraph characteristics of dough 303

Neustadt, M. H. (see W. T. Greenaway) 577
Normand, F. L., J. T. Hogan, and H. J. Deobald. Protein content of successive peripheral layers milled from wheat, barley, grain sorghum, and glutinous rice by tangential abrasion 359
Norris, F. W. (see K. H. Tipples) . 437

Oke, O. L. Chemical studies on some Nigerian cereals 299

Ott, Mariette, and E. Elizabeth Hester. Gel formation as related to concentration of amylose and degree of starch swelling 476
Ough, L. D., and N. E. Lloyd. Automated determination of the dextrose equivalent of corn starch hydrolysates 1

Pace, J. (see J. E. Carter) 201
Pence, J. W. (see J. E. Bernardin) 97
——— (see D. K. Mecham) 409
Perlin, A. S., and S. Suzuki. A note on the polysaccharides of wheat flour squeegee 199
Peters, J. E. (see H. L. Tookey) 507
Peterson, J. E. (see K. A. Gilles) 247
Pixton, S. W. Detection of insect infestations in cereals by measurement of uric acid 315
Podrazký, V., and J. Fantík. Communication to the Editor: Increase of the viscosity values of gums during storage of rye flour 107
Pollock, H. B. (see J. E. Barney II) 215
Pomeranz, Y. (see M. Jankiewicz) 37

Querry, M. R. (see R. Katz) 187

Roberts, R. C., and D. R. Briggs. Isolation and characterization of the 7S component of soybean globulins 71
Rodgers, N. E. (see R. G. Henika) 397
Roth, W. B. (see A. M. Mark) 209

Scallet, B. L. (see J. D. Commerford) 485
Schroeder, H. W. Fungus deterioration of rice: effects of fungus infection on free amino acids and reducing sugars in white and parboiled rice 539
Shellenberger, J. A. (see L. Fan) 385
Sibbitt, L. D. (see K. A. Gilles) 247
Slinger, S. J. (see N. A. G. Cave) 523, 533
Smith, D. E., and J. D. Mullen. Studies on short- and long-mixing flours.
II. Relationship of solubility and electrophoretic composition of flour proteins to mixing properties 275
III. Mixing properties, protein and lipid composition of various fractions 515
——— (see J. D. Mullen) 263
Smith, M. Doreen (see Linda J. McBurney) 161
Summers, J. C. (see N. A. G. Cave) 523, 533
Suzuki, S. (see A. S. Perlin) 199

Tello, F., M. A. Alvarez-Tostado, and G. Alvarado. A study on the improvement of the essential amino acid balance of corn protein. I. Correlation between racial and varietal characteristics and lysine levels of corn 368
Tipples, K. H., and F. W. Norris. Some effects of high levels of gamma irradiation on the lipids of wheat 437
———, **and R. Tkachuk.** Wheat beta-amylases. I. Isolation 111
Tkachuk, R. (see K. H. Tipples) 111
Tookey, H. L., C. H. VanEtten, J. E. Peters, and I. A. Wolff. Evaluation of enzyme-modified, solvent-extracted crambe seed meal by chemical analyses and rat feeding 507
Tsen, C. C. The improving mechanism of ascorbic acid 86
Turner, J. E., Joyce A. Boundy, and R. J. Dimler. Zein: a heterogeneous protein containing disulfide-linked aggregates 452
Van Dalfsen, J. (see J. Lagendijk) 255
VanEtten, C. H. (see H. L. Tookey) 507

Ward, Rose M., and J. E. Gastineau. Enzymatic modification of wheat flour for paper sizing 421
Williams, Virginia R. (see T. Lee) 498
Wilson, J. T., and D. H. Donelson. Studies on the dynamics of cake-baking. II. The interaction of chlorine and liquid in the formation of layer-cake structure 25
Wolff, I. A. (see H. L. Tookey) 507
Wu, W. T. (see T. Lee) 498

Zeleny, L. (see W. T. Greenaway) 577
Zobel, H. F. (see A. M. Mark) 209

SUBJECTS

Page

Absorption
Critical, of X-rays in microradiography of wheat for calcium detn. (Katz and Querry) ... 187
Iodine; rate of, to detn. starch damage (Medcalf and Gilles) 546
Water, into corn kernels; rates, with and without dissolved SO_2 (Fan, Chen, Shellenberger, and Chung) ... 385
Acid(s)
Amino, see **Amino acids**
Ascorbic; improving mechanism of (Tsen) ... 86
Ascorbic and dehydroascorbic, vs. glutathione and thiol groups in flour and dough (Carter and Pace) ... 201
Fatty, see **Fatty acids**
Hydrocyanic, oxalic, phytic, in Nigerian cereals (Oke) ... 299
Uric, for insect detection in cereals (Pixton) ... 315
Air-classified flour, see under **Flour**, Particle size of; **Flour fractions**
Albumins, in flour
Mixing properties (Smith and Mullen) ... 275
Solubility and electrophoretic composition (Mullen and Smith) ... 263
Alcohols; effect on extensigram characteristics of dough (Muller, Hlynka, and Kuzina) ... 303
Alpha-amylase, see **Amylase, alpha-**
Amino acids
In corn protein; balance of; improvement study (Tello, Alvarez-Tostado, and Alvarado) ... 368
In rice, affected by fungi (Schroeder) ... 539
In soybean globulins (7S component), vs. whole globulins (Roberts and Briggs) ... 71
In wheat, as function of nitrogen content (Hepburn and Bradley) ... 140
Amylase; modifying flour for paper sizing (Ward and Gastineau) 421
Amylase, alpha-, salivary; action pattern of, vs. phosphorus in potato starch (McBurney and Smith) ... 161
Amylase, beta-, of wheat; isolation (Tipples and Tkachuk) ... 111
Amylograph studies; physicochemical properties of starch (Medcalf and Gilles) ... 558
Amylomaize, class 8; wet-milling characteristics (Anderson) 580
Amylomaize starch, see **Corn starch**, High-amylose
Apparatus
AutoAnalyzer, for detn. (automated) of Dextrose Equivalent of corn starch hydrolysates (Ough and Lloyd) ... 1
Firmness meter, for puff-pastry dough; to classify fats (Lagendijk and Van Dalfsen) ... 255
Fluorescent X-ray camera for microradiography of wheat (Katz and Querry) ... 187
For gluten testing (Barney II, Pollock, and Bolze) ... 215
Light reflectance meter, for degree of milling and parboiling of rice (Johnson) ... 167
Power-input meter for laboratory dough mixers (Kilborn and Dempster) ... 432
For starch damage detn., by rate of iodine absorption (Medcalf and Gilles) ... 546
For stress relaxation (Barney II, Pollock, and Bolze) ... 215
Ascorbic acid, see under **Acids**

Baking properties
Of starch doughs; effect of glycerides (Jackson and Landfried) ... 323
Of wheat; computer evaluation and machine listing of data (Gilles, Sibbitt, Holoien, and Peterson) ... 247
Baking tests
Bread, see **Bread and breadmaking**
Cake, see **Cake** entries
Barley
Gliadinlike protein in; solubility in nonaqueous media (Meredith) ... 54
Protein in kernel layers milled by tangential abrasion (Normand, Hogan, and Deobald) 359
Starch of; solubility and swelling power (Goering and Brelsford) ... 15

Beta-amylase, see **Amylase, beta-**
Bleaching of flour, with chlorine; quality response to various levels (Wilson and Donelson) 25
Bran
Fatty acids and lipids (free and bound) in (Burkwall, Jr., and Glass) 236
Nutritional value as chick feed (Cave, Slinger, Summers, and Ashton) 523, 533
Bread and breadmaking
Bromate-cysteine-whey reactions in rapid process (Henika and Rodgers) 397
Gluten mixing properties in (Mecham, Cole, and Pence) 409
Starch bread; effect of glycerides on texture and volume (Jackson and Landfried) 323
Bread emulsifiers; monoglycerides, in starch bread; effect on texture and volume (Jackson and Landfried) 323
Bromate, see **Flour improvers**

Cake(s) (see also **Cake flour**)
Baking, dynamics of; chlorine vs. liquid in structure formation (Wilson and Donelson) 25
Structure of
contour diagrams for (Wilson and Donelson) 25
chlorine and liquid interaction in formation (Wilson and Donelson) 25
effect on, of flour composition and sugar level (Baldi, Little, and Hester) 462
Cake flour, fractions of; effect of proportion, and sugar level, on cake structure (Baldi, Little, and Hester) 462
Calcium, in wheat; distribution, detd. by microradiography (Katz and Querry) 187
Carbohydrates, general; in cereals of Nigeria; nutritive value study (Oke) 299
Carbohydrates, specific; see main entries for:
Glucose
Gums
Oligosaccharides
Polysaccharides
Saccharides
Sugar, and Sugars
Sugars, reducing
Casein, in NFDM; fragmented by flour protease (Bernardin, Mecham, and Pence) 97
Cereals and cereal products
Crambe seed meal, for feed; analysis and evaluation (Tookey, VanEtten, Peters, and Wolff) 507
Insects in; detection by uric acid measurement (Pixton) 315
Pyridoxine in (added); stability study (Bunting) 569
Chlorine, vs. liquid in cake structure formation (Wilson and Donelson) 25
Chromatography
For fatty acids in gamma-irradiated wheat (Tipples and Norris) 437
For Ferricyanide Number of glucose polymers and oligosaccharides (Commerford and Scallet) 485
For fractionation of dextrin from potato starch hydrolysates (McBurney and Smith) 161
Ion-exchange column; for isolation of wheat beta-amylase (Tipples anud Tkachuk) 111
Corn (see also **Corn** entries following)
Absorption of water into kernels; rates, with and without dissolved SO_2 (Fan, Chen, Shellenberger, and Chung) 385
Composition study (Nigerian) (Oke) 299
Dry-milling of; effect of temper time and moisture level on degerminator performance (Brekke) 288
High-amylose; wet-milling characteristics (Anderson) 580
(Nigerian) Nutritive value, vs. rice and sorghum (Oke) 299
Protein in; amino acid balance; improvement study (Tello, Alvarez-Tostado, and Alvarado) 368
Protein of; disulfide linkages in zein (Turner, Boundy, and Dimler) 452
Syrups and sugars; detn. (automated) of Dextrose Equivalent of starch hydrolysates (Ough and Lloyd) 1
Waxy, see **Corn starch,** Waxy
Wet-milling of, see **Corn wet-milling**
Corn meal; stability in, of added pyridoxine (Bunting) 569
Corn starch
Amylose fraction; content in leaves and endosperms, vs. glucosyltransferase (Badenhuizen and Chandorkar) 44
Component of; anomalous, low-

MW, branched (Erlander, McGuire, and Dimler) 175
Dextrose Equivalent of hydrolysates; automated detn. (Ough and Lloyd) 1
Films from high-amylose; solubilization and X-ray diffraction patterns (Mark, Roth, Zobel, and Mehltretter) 209
High-amylose; dimethyl sulfoxide-pretreated; properties of (Mark, Roth, Zobel, and Mehltretter) 209
Waxy; glucosyltransferase and amylose content of, during development (Badenhuizen and Chandorkar) 44
Corn wet-milling
Absorption rates, with and without dissolved SO_2 (Fan, Chen, Shellenberger, and Chung) 385
Amylomaize, class 8; characteristics (Anderson) 580
Crambe abyssinica (see **Crambe seed meal**)
Crambe seed meal; analysis, and evaluation for feed (Tookey, VanEtten, Peters, and Wolff) 507
Cysteine; reaction in rapid breadmaking process (Henika and Rodgers) 397

Data processing of quality data for wheat; computer evaluation and machine listing (Gilles, Sibbitt, Holoien, and Peterson) 247
Dehydroascorbic acid, see under **Acids**
Dermestes lardarius, in cereals; detection by uric acid measurement (Pixton) 315
Detoxification of crambe seed meal (Tookey, VanEtten, Peters, and Wolff) 507
Dextrose Equivalent (DE) of corn starch hydrolysates; detn. of, automated (Ough and Lloyd) 1
Diffusion coefficients of corn kernels (Fan, Chen, Shellenberger, and Chung) 385
Dimethyl sulfoxide pretreatment of corn starch, high-amylose (Mark, Roth, Zobel, and Mehltretter) 209
Disulfide linkages in zein from corn (Turner, Boundy, and Dimler) 452
Dough(s) (see also following **Dough** entries; **Extensigraph, Farinograph, Mixograph studies**)
Ascorbic-dehydroascorbic acid relationships in (Carter and Pace) 201
Effects of organic solvents on extensigrams (Muller, Hlynka, and Kuzina) 303
Improvers, see **Dough improvers; Flour improvers**
Improving mechanism of ascorbic acid (Tsen) 86
Mixers, laboratory; power-input meter for (Kilborn and Dempster) 432
Mixing of; gluten properties (Mecham, Cole, and Pence) 409
Mixing properties of
vs. protein solubility; electrophoretic composition (Mullen and Smith) 263, 275
short- and long-mixing flours (Smith and Mullen) 515
Puff-pastry; dough firmness as criterion for classfying fats (Lagendijk and Van Dalfsen) 255
Rheology of
effect of organic solvents (Muller, Hlynka, and Kuzina) 303
effect of urea and NEMI (Jankiewicz and Pomeranz) 37
property study; short- and long-mixing flours (Smith and Mullen) 515
for protein solubility and electrophoretic composition vs. mixing properties (Smith and Mullen) 275
for puff pastry; firmness as criterion for classifying fats (Lagendijk and Van Dalfsen) 255
for solubility and electrophoretic composition of proteins (Mullen and Smith) 263
viscoelastic properties vs. chemical nature of gluten (Barney II, Pollock, and Bolze) 215
Starch-; effect of glycerides on baking properties (Jackson and Landfried) 323
Dough improvers; bromate, cysteine, and whey; reaction in rapid breadmaking process (Henika and Rodgers) 397

Electrophoresis
Gel; for zein components (Turner, Boundy, and Dimler) 452
For properties of wheat proteins (Smith and Mullen) 515
For protein composition of flour (Mullen and Smith) 263
vs. solubility and mixing properties (Smith and Mullen) 275
Starch-gel; for detecting changes

in NFDM casein (Bernardin, Mecham, and Pence) 97
For solubility study of gliadin-like proteins (Meredith) 149
Endosperm
Corn, starch content of, in developing kernels (Badenhuizen and Chandorkar) 44
Wheat
breakdown of, affected by moisture (in wheat and flour) (Kent) 125
calcium in, mapped by microradiography (Katz and Querry) 187
Enzymes (see also specific enzymes); starch-synthesizing (glucosyltransferase) (Badenhuizen and Chandorkar) 44
Enzyme action by insects (stinkbug), in wheat; detection (Greenaway, Neustadt, and Zeleny) 577
Enzyme-modified meal from crambe seed; analysis and evaluation (Tookey, VanEtten, Peters, and Wolff) 507
Errata
For Vol. 42, No. 3 (May, 1965) 435
For Vol. 42, No. 4 (July, 1965) 505
Extensigraph studies (see also **Farinograph studies**)
Effect of organic solvents on characteristics (Muller, Hlynka, and Kuzina) 303
Reactions of bromate, cysteine, and whey in breadmaking (Henika and Rodgers) 397

Farinograph studies (see also **Extensigraph studies**)
Effects of urea and NEMI (Jankiewicz and Pomeranz) 37
Flour fractions; mixing properties, protein and lipid composition (Smith and Mullen) 515
Gluten dough-mixing properties (Mecham, Cole, and Pence) 409
Protein solubility and electrophoretic composition (Smith and Mullen) 275
Reactions of bromate, cysteine, and whey (Henika and Rodgers) 397
Fats and shortenings, in puff pastry; classified via dough firmness meter (Lagendijk and Van Dalfsen) 255
Fatty acids
In flour and whole wheat (Tipples and Norris) 437
In rice; compositional patterns of, vs. storage time (Lee, Wu, and Williams) 498
In wheat and mill products (Burkwall, Jr., and Glass) 236
Feeds
Barley starch; evaluation of properties (Goering and Brelsford) 15
Crambe seed meal as supplement; analysis and evaluation (Tookey, VanEtten, Peters, and Wolff) 507
From mill products; nutritional value for chicks (Cave, Slinger, Summers, and Ashton) 523, 533
Wheat germ (raw and heated) for chicks (Attia and Creek) 494
Ferricyanide Numbers of oligosaccharides; reaction study (Commerford and Scallet) 485
Fiber, crude, in cereals of Nigeria; nutritive value study (Oke) 299
Firmness meter for puff-pastry dough; to classify fats (Lagendijk and Van Dalfsen) 255
Fish meal; detection of insects in, by uric acid measurement (Pixton) 315
Flour (wheat, unless specified; see also following **Flour** entries)
Aging and storage studies (HRS, HRW, SRW wheat) (Gracza) 333
Amylase (beta-) isolated from (HRS wheat) (Tipples and Tkachuk) 111
Ascorbic-dehydroascorbic acid relationships in (HRS, English wheats) (Carter and Pace) 201
Cake, see **Cake flour**
Corn; degerminator performance vs. temper time and moisture level (Brekke) 288
For cysteine-bromate-whey reactions in breadmaking (HRS, HRW, Wh wheat) (Henika and Rodgers) 397
Effect of organic solvents on extensigrams (HRS wheat) (Muller, Hlynka, and Kuzina) 303
Enzymatic modification for paper sizing (SRW, Wh wheat) (Ward and Gastineau) 421
Fatty acids in (HRS wheat) (Burkwall, Jr., and Glass) 236
Fractions, see **Flour fractions;** specific fractions
Glutens from; dough-mixing properties (HRS, HRW wheat) (Mecham, Cole, and Pence) 409
Insects in; detection by uric acid

measurement (Pixton) 315
Lipids in (free and bound) (HRS wheat) (Burkwall, Jr., and Glass) 236
Mixing properties, protein and lipid composition of fractions (HRS, HRW wheat) (Smith and Mullen) 515
Moisture content variation vs. endosperm breakdown and protein displacement (HRS, HRW, SRW, Wh wheat) (Kent) 125
Particle size of
vs. moisture content of wheat and flour (English hard and soft wheat) (Kent) 125
reduction by various grinding processes (HRS, HRW, SRW, Wh wheat) (Gracza) 333
Protein solubility studies
short- and long-mixing (HRS, HRW wheat) (Mullen and Smith) 263, 275
gliadinlike proteins (HRS wheat) (Meredith) 149
Proteolytic action of, on NFDM protein (HRS, HRW wheat) (Bernardin, Mecham, and Pence) 97
Quality data; computer evaluation and machine listing (HRS wheat) (Gilles, Sibbitt, Holoien, and Peterson) 247
Rye (stored); changes in gums and gluten (Podrazký and Fantík) 107
Squeegee of; polysaccharides in (Perlin and Suzuki) 199
Starch damage in, detd. by rate of iodine absorption (HRS wheat) (Medcalf and Gilles) 546
Stored, see under **Storage studies**
Studies; short- and long-mixing (a series) (HRS, HRW wheat)
I. Solubility of proteins 263
II. Mixing properties 275
III. Fractions 515
Flour fractions (see also specific fractions)
Air-classified; aging and storage studies (HRS, HRW, SRW wheat) (Gracza) 333
Cake, see under **Cake flour**
Lipids of (HRS, HRW wheat) (Smith and Mullen) 515
Proteins in; solubility and electrophoretic composition vs. mixing properties (HRS, HRW wheat) (Smith and Mullen) 275
Flour improvers
Ascorbic acid; mechanism of (Tsen) 86
Ascorbic-dehydroascorbic acid relationships in flour and dough (Carter and Pace) 201
Bromate; reaction in rapid breadmaking process (Henika and Rodgers) 397
Maleimide (NEMI); mixing properties vs. flour protein solubility and electrophoretic composition (Smith and Mullen) 275
Organic solvents, vs. extensigrams (Muller, Hlynka, and Kuzina) 303
Fractionation of proteins (gliadinlike) by solubility (Meredith) 149
Fungi; Fusarium; effect on amino acids and reducing sugars in rice (Schroeder) 539

Gas retention of starch in bread; affected by glycerides (Jackson and Landfried) 323
Gels, starch
Formation, vs. amylose concentration and degree of granule swelling (Ott and Hester) 476
Structure of (Ott and Hester) 476
Germ meal (wheat); nutritional value as chick feed (Cave, Slinger, Summers, and Ashton) 523, 533
Gliadin
In flour
mixing property study, vs. solubility and electrophoretic composition (Smith and Mullen) 275
protein solubility and electrophoretic composition (Mullen and Smith) 263
Fractionation by solubility (Meredith) 149
Solubility of gliadinlike proteins (Meredith)
in aqueous acid media 64
in nonaqueous media 54
Gliadin, gamma-; component of gluten; molecular weight (Jones, Babcock, and Dimler) 210
Globulins
In flour
mixing property study, vs. solubility and electrophoretic composition (Smith and Mullen) 275
protein solubility and electrophoretic composition (Mullen and Smith) 263
Soybean, 7S component; isolation and characterization (Roberts and Briggs) 71
Glucose polymers; ferricyanide

number (Commerford and Scallet) 485
Glucosyltransferase, UDPG-alpha-glucan; in starches; isolation from leaves, endosperms, and tubers (Badenhuizen and Chandorkar) 44
Gluten (wheat, unless specified)
Chemical modification of (Barney II, Pollock, and Bolze) 215
Dough-mixing properties of (Mecham, Cole, and Pence) 409
Gamma-gliadin component of; molecular weight (Jones, Babcock, and Dimler) 210
Gamma-irradiated; radicals trapped in, disappearance of (Lee and Chen) 573
Of rye flour; changes in, during storage (Podrazký and Fantík) 107
Stretched; electron micrographs (Barney II, Pollock, and Bolze) 215
Viscoelastic properties vs. chemical nature (Barney II, Pollock, and Bolze) 215
Gluten proteins of flours; short- and long-mixing (Smith and Mullen) 515
Glutenin
In flour
mixing property study, vs. solubility and electrophoretic composition (Smith and Mullen) 275
protein solubility and electrophoretic composition (Mullen and Smith) 263
Viscoelastic properties vs. chemical nature (Barney II, Pollock, and Smith) 215
Glycerides, see under **Bread emulsifiers**
Grain sorghum, see **Sorghum**
Gums, of rye flour; viscosity values increasing during storage (Podrazký and Fantík) 107

Hydrocyanic acid, see under **Acids**
Hydrogen bonding; importance in breadmaking (Jankiewicz and Pomeranz) 37

Infestation, see **Insects**
Insects
Damage by, in wheat; sedimentation test for detg. (Greenaway, Neustadt, and Zeleny) 577
Dermestes lardarius, Tenebrio molitor, and Tribolium confusum, in cereals; detection by uric acid measurement (Pixton) 315
Iodine absorption
Of corn starch, high-amylose (Mark, Roth, Zobel, and Mehltretter) 209
Rate of, to detn. starch damage (Medcalf and Gilles) 546
Of wheat starch fractions; property study (Medcalf and Giffee) 558
Iodine Absorption Value; in starch damage detn. (Medcalf and Gilles) 546
Iodine value; lipids of mill products compared (Burkwall, Jr., and Glass) 236
Irradiation, gamma-
Effects of high levels on lipids of wheat (Tipples and Norris) 437
Of starch and gluten (Lee and Chen) 573

Light reflectance meter, for degree of rice milling and parboiling (Johnson) 167
Lipids
In flour; changes in, during storage (Gracza) 333
Of flour fractions (Smith and Mullen) 515
Free and bound, of wheat and mill products (Burkwall, Jr., and Glass) 236
In rice; affected by storage time (Lee, Wu, and Williams) 498
In wheat; effects of high levels of gamma irradiation (Tipples and Norris) 437
Lysine, in corn; vs. varietal characteristics (Tello, Alvarez-Tostado, and Alvarado) 368

Macaroni, see **Pasta products**
Maize, see **Corn**
Maleimides (NEMI)
Effects of, on dough rheology (Jankiewicz and Pomeranz) 37
Electrophoretic composition and solubility of flour proteins, vs. mixing properties (Smith and Mullen) 275
Methods
Ferricyanide Number of oligosaccharides (Commerford and Scallet) 485
Sedimentation, for detecting stinkbug damage in wheat (Greenaway, Neustadt, and Zeleny) 577
Starch damage detn. (amperometric titration) (Medcalf and Gilles) 546
Microorganisms; Fusarium; effect on amino acids and reducing sugars in rice (Schroeder) 539
Microradiography of wheat kernel sections, to detn. calcium content (Katz and Querry) 187
Middlings, nutritional value as

chick feed (Cave, Slinger, Summers, and Ashton) . 523, 533
Milk, nonfat dry, see **Nonfat dry milk**
Mill products (wheat)
Fatty acids and lipids in (Burkwall, Jr., and Glass) 236
Nutritional value for chicks (Cave, Slinger, Summers, and Ashton) 523, 533
Milling, experimental
Ball- and impact-, for aging and storage studies (Gracza) 333
Of barley, rice, sorghum, and wheat, by tangential abrasion, for detg. protein in peripheral layers (Normand, Hogan, and Deobald) 359
Of corn; effect of temper time and moisture level on degerminator performance (Brekke) 288
For starch damage detn. by rate of iodine absorption (Medcalf and Gilles) 546
Minerals
Calcium; distribution in wheat, detd. by microradiography (Katz and Querry) 187
In cereals of Nigeria; nutritive value study (Oke) 299
Phosphorus, in potato starch; vs. amylase action pattern (McBurney and Smith) 161
Mixograph studies; for gluten mixing properties (Mecham, Cole, and Pence) 409
Moisture
In corn, dry-milled; level of, vs. degerminator performance (Brekke) 288
In corn kernels; absorption rates, with and without dissolved SO_2 (Fan, Chen, Shellenberger, and Chung) 385
In flour and wheat; affecting endosperm breakdown and protein displacement (Kent) . . . 125
Molecular weight of gamma-gliadin component of gluten (Jones, Babcock, and Dimler) 210

NEMI, N-ethylmaleimide, see under **Maleimides**
Nitrogen, in wheat, vs. amino acid composition (Hepburn and Bradley) 140
Nonfat dry milk; proteolytic action of flour on proteins of (Bernardin, Mecham, and Pence) . . . 97
Nutritive value
Of cereals (Nigerian) (Oke) 299
Of corn varieties; improvement of amino acid balance (Tello, Alvarez-Tostado, and Alvarado) 368
Of crambe seed meal (laboratory preparation); analysis and evaluation (Tookey, VanEtten, Peters, and Wolff) 507
Of mill products, for chicks (Cave, Slinger, Summers, and Ashton) 523, 533
Of wheat germ, for chicks (Attia and Creek) 494

Oats, protein of, gliadinlike; solubility in nonaqueous media (Meredith) 54
Oligosaccharides; Ferricyanide Numbers, and reactions of (Commerford and Scallet) . . . 485
Oxalic acid, see under **Acids**
Oxidation and reduction of zein (Turner, Boundy, and Dimler) 452

Paper sizing; flour for, enzyme-modified (Ward and Gastineau) 421
Pasta products, macaroni; stability in, of added pyridoxine (Bunting) 569
Pasting of starch granules, affected by sodium chloride (Ganz) . . 429
Phosphorus, in starch (potato), vs. action pattern of amylase (McBurney and Smith) 161
Phytic acid, see under **Acids**
Polysaccharides
Component in dent corn starch (Erlander, McGuire, and Dimler) 175
Of flour squeegee (Perlin and Suzuki) 199
Power-input meter, for laboratory dough mixers (Kilborn and Dempster) 432
Protease, of flour; action on NFDM protein (Bernardin, Mecham, and Pence) 97
Protein(s)
In barley, sorghum, rice, and wheat; peripheral kernel layers, milled by tangential abrasion (Normand, Hogan, and Deobald) 359
(Crude) In cereals of Nigeria; nutritive value study (Oke) 299
Component of corn starch (Erlander, McGuire, and Dimler) 175
Of corn, amino acid balance; improvement study (Tello, Alvarez-Tostado, and Alvarado) 368
Of corn, see **Zein**

In flour
effect on sizing properties (Ward and Gastineau) 421
electrophoretic properties (Smith and Mullen) 515
solubility and electrophoretic composition; mixing properties (Mullen and Smith) 263, 275
Gliadinlike; solubility (Meredith)
in aqueous acid media 64
in nonaqueous media 54
fractionation by 149
In kernel layers (peripheral) of grains, milled by tangential abrasion (Normand, Hogan, and Deobald) 359
Gluten, gamma-gliadin component of; molecular weight (Jones, Babcock, and Dimler) 210
Meal, see **Protein meal**
Of NFDM; proteolytic action on, of flour (Bernardin, Mecham, and Pence) 97
Solubility of (a series) (Meredith)
I. In nonaqueous media 54
II. In aqueous acid media .. 64
III. Fractionation 149
Soybean globulins, 7S component of; isolation and characterization (Roberts and Briggs) 71
Protein displacement; effect on, of moisture content of wheat and flour (Kent) 125
Protein meal, from crambe seed; analysis and evaluation (Tookey, VanEtten, Peters, and Wolff) 507
Proteinase, modifying flour for paper sizing (Ward and Gastineau) 421
Proteolytic action of flour, on NFDM protein (Bernardin, Mecham, and Pence) 97
Puff pastry; shortenings in, classified via dough firmness meter (Lagendijk and Van Dalfsen) 255
Pyridoxine; stability of, when added to cereals (Bunting) 569

Radicals, in gamma-irradiated starch and gluten; disappearance of (Lee and Chen) 573
Radiographs of wheat kernel sections; for detg. calcium content (Katz and Querry) 187
Response surface design; for cake quality factors as functions of chlorine level and liquid level (Wilson and Donelson) 25
Rheology, see **Dough,** Rheology of
Rice
Aging of, see under **Storage studies;** "stored" entries
Composition study; nutritive value (Nigerian) (Oke) 299
Fatty acids in; compositional patterns of, vs. storage time (Lee, Wu, and Williams) 498
Fungus deterioration of (Schroeder) 539
Grading of; meter for degree of milling and parboiling (Johnson) 167
Lipids in; compositional patterns, vs. storage time (Lee, Wu, and Williams) 498
Milled, parboiled; light reflectance meter for measuring degree (Johnson) 167
(Glutinous) Protein in kernel layers milled by tangential abrasion (Normand, Hogan, and Deobald) 359
Protein of, gliadinlike; solubility in nonaqueous media (Meredith) 54
Stored, see under **Storage studies**
Rye, protein of (gliadinlike); solubility in nonaqueous media (Meredith) 54

Saccharides; response of, to automated Dextrose Equivalent procedure (Ough and Lloyd) . 1
Salt, see **Sodium chloride**
Sedimentation test for stinkbug damage in wheat (Greenaway, Neustadt, and Zeleny) 577
Shortening; margarine, in puff pastry; classified via dough firmness meter (Lagendijk and Van Dalfsen) 255
Shorts
Fatty acids and lipids in (Burkwall, Jr., and Glass) 236
Nutritional value as chick feed (Cave, Slinger, Summers, and Ashton) 523, 533
Sodium chloride, affecting pasting of starch granules (Ganz) 429
Solubility
Of barley starch (Goering and Brelsford) 15
Of corn starch, high-amylose (Mark, Roth, Zobel, and Mehltretter) 209
Of gliadinlike proteins (Meredith) 54, 64, 149
Of proteins in short- and long-mixing flours (Mullen and Smith) 263
Solvents, organic; effect on dough rheology (Muller, Hlynka, and

Kuzina) ... 303
Sorghum
(Nigerian) Composition study, and nutritive value, vs. corn (Oke) ... 299
Protein of, in kernel layers milled by tangential abrasion (Normand, Hogan, and Deobald) ... 359
Soybeans; globulins of, 7S component; isolation and characterization (Roberts and Briggs) ... 71
Squeegee of flour; polysaccharides of (Perlin and Suzuki) ... 199
Starch(es) (wheat unless specified)
Amylomaize, see **Corn starch,** High-amylose
Barley; solubility and swelling power of (Goering and Brelsford) ... 15
In bread; gas retention, vs. glycerides (Jackson and Landfried) ... 323
Condition change during storage (Gracza) ... 333
Corn, see **Corn starch**
Corn, amylose fraction
content in corn leaves and endosperms, vs. glucosyltransferase (Badenhuizen and Chandorkar) ... 44
effect of concentration and degree of granule swelling on gels (Ott and Hester) ... 476
Corn, amylose and amylopectin fractions
component (anomalous, low-MW, branched) (Erlander, McGuire, and Dimler) ... 175
content; property study (Medcalf and Gilles) ... 558
Damaged; detn. by rate of iodine absorption (Medcalf and Gilles) ... 546
Gamma-irradiated; radicals trapped in, disappearance of (Lee and Chen) ... 573
Gel formation in, affected by amylose concentration (Ott and Hester) ... 476
Gelatinized in presence and absence of salt (Ganz) ... 429
Glucosyltransferase activity (and amylose percentage) during development (Badenhuizen and Chandorkar) ... 44
Granules of
effect of swelling on gel formation (Ott and Hester) ... 476
in flour squeegee (Perlin and Suzuki) ... 199
pasting of, affected by sodium chloride (Ganz) ... 429
photomicrographs of (Ganz) ... 429
In Pelargonium leaves, potato tubers, and tobacco leaves; amylose percentage and glucosyltransferase activity in (Badenhuizen and Chandorkar) ... 44
Potato; phosphorus in, vs. action pattern of amylase (McBurney and Smith) ... 161
Solubility of
barley (Goering and Brelsford) ... 15
corn, high-amylose (Mark, Roth, Zobel, and Mehltretter) ... 209
Synthesized by enzyme, glucosyltransferase (Badenhuizen and Chandorkar) ... 44
Statistical design for cake quality factors (Wilson and Donelson) ... 25
Statistics; quality data for wheat, computer evaluation and machine listings (Gilles, Sibbitt, Holoien, and Peterson) ... 247
Steeping of corn, see **Corn wet-milling**
Stinkbugs, in wheat; sedimentation test for damage (Greenaway, Neustadt, and Zeleny) ... 577
Storage studies, with:
Corn meal; for stability of added pyridoxine (Bunting) ... 569
Flour; fatty acid distribution of lipids; peroxide values (Tipples and Norris) ... 437
Flour and fractions (HRS, HRW, SRW wheat) (Gracza) ... 333
Macaroni; for stability of added pyridoxine (Bunting) ... 569
Rice, fatty acids and lipids; compositional patterns of, vs. storage time (Lee, Wu, and Williams) ... 498
Rye flour; changes in gums and gluten; viscosity increase (Podrazký and Fantík) ... 107
Stress in dough, see **Dough,** Rheology of
Sugar; effect of level, and flour composition, on cake structure (Baldi, Little, and Hester) ... 462
Sugars, reducing
Methods of detg. (Commerford and Scallet) ... 485
In rice, affected by fungi (Schroeder) ... 539
Response of, to automated Dextrose Equivalent procedure (Ough and Lloyd) ... 1
Sulfhydryl groups
In cysteine-bromate-whey study for reactions in breadmaking

(Henika and Rodgers) 397
In dough; improving mechanism of ascorbic acid (Tsen) 86
In flour; protein solubility and electrophoretic composition vs. mixing properties (Smith and Mullen) 275
Of proteins (wheat); in short- and long-mixing flours (Smith and Mullen) 515
Swelling power of barley starch (Goering and Brelsford) 15
Syrups, see under **Corn**

Tempering of corn; effect of temper time and moisture level on degerminator performance (Brekke) 288
Tenebrio molitor, in cereals; detection by uric acid measurement (Pixton) 315
Thioglucosides; removal from crambe seed meal (Tookey, VanEtten, Peters, and Wolff) 507
Thiol groups in flour and dough; interaction with dehydroascorbic acid (Carter and Pace) .. 201
Toxicity of thioglucosides in meal from crambe seed (Tookey, VanEtten, Peters and Wolff) 507
Tribolium confusum, in cereals; detection by uric acid measurement (Pixton) 315

UDPG-alpha-glucan glucosyltransferase, in starches, during development (Badenhuizen and Chandorkar) 44
Urea; effects of, on dough rheology (Jankiewicz and Pomeranz) . 37
Uric acid, see under **Acids**

Varietal studies, with:
Barley; properties of starch (Goering and Brelsford) .. 15
Corn; amino acid balance of protein; improvement study (Tello, Alvarez-Tostado, and Alvarado) 368
Wheat
amino acid composition as function of nitrogen content (HRS, HRW) (Hepburn and Bradley) 140
starch of; physicochemical properties (HRS, HRW) (Medcalf and Gilles) 558
Viscoelastic properties of gluten (Barney II, Pollock, and Bolze) 215
Viscosity
Of barley starch, characteristics (Goering and Brelsford) 15
Of starch fractions; property study (Medcalf and Gilles) .. 558
Viscosity values of gums, in rye flour; changes during storage (Podrazký and Fantík) 107
Vitamins; pyridoxine (B_6); stability of, added to cereals (Bunting) 569

Water (see also **Absorption;** main entries following)
Absorption into corn kernels; rates, with and without dissolved SO_2 (Fan, Chen, Shellenberger, and Chung) 385
Cake quality response to various liquid levels (Wilson and Donelson) 25
Water-binding capacity of starch fractions; property study (Medcalf and Gilles) 558
Water solubility of wheat proteins, in short- and long-mixing flours (Smith and Mullen) 515
Wheat (class or classes, when stated, are given in parentheses; see also main entries following)
Amino acid content, as function of nitrogen content (HRS, HRW) (Hepburn and Bradley) 140
Amylase (beta-) of; isolation (HRS) (Tipples and Tkachuk) 111
Calcium content of kernel sections by microradiography (Katz and Querry) 187
Fatty acid and lipids in (HRS) (Burk, Jr., and Glass) 236
Germ of, as feed, raw and heated, for chicks (HRW) (Attia and Creek) 494
Insect damage in (stinkbug); sedimentation test for (Austrian wheat) (Greenaway, Neustadt, and Zeleny) 577
Lipids of; affected by high levels of gamma irradiation (HRS; English soft white winter) (Tipples and Norris) 437
Mill products, as chick feed; nutritional value (HRS) (Cave, Slinger, Summers, and Ashton) 523, 533
Moisture content of; variation, vs. endosperm breakdown and protein displacement (HRS, HRW, SRW, Wh) (Kent) 125
Nitrogen content of; vs. amino acid composition (HRS, HRW) (Hepburn and Bradley) 140
Protein of
in kernel layers milled by tan-

gential abrasion (HRW, SRW) (Normand, Hogan, and Deobald) 359
(gliadinlike) solubility in nonaqueous media (Meredith) 54
Quality data; computer evaluation and machine listing of (durum, HRS) (Gilles, Sibbitt, Holoien, and Peterson) 247
Starch in; property study (durum, HRS, HRW, soft) (Medcalf and Gilles) 558
Whey; reaction of, in rapid breadmaking process (Henika and Rodgers) 397
X-ray of wheat kernel sections; to detn. calcium content (Katz and Querry) 187
X-ray diffraction patterns of corn starch, high-amylose, and films (Mark, Roth, Zobel, and Mehltretter) 209
Zein; disulfide linkages in; electrophoretic components; reduction and oxidation of (Turner, Boundy, and Dimler) 452

CEREAL CHEMISTRY

Published by The American Association of Cereal Chemists, Inc.

Editor-in-Chief ..... K. A. GILLES
Managing Editor ..... MERRILL J. BUSCH
Business Manager ..... RAYMOND J. TARLETON
Assistant Editor ..... EUNICE R. BROWN

Editorial Board:

HOWARD E. BAUMAN
NORMAN LLOYD
WALTER BUSHUK
MEADE C. HARRIS
DAVID F. HOUSTON
SUTTON REDFERN
DONALD E. SMITH
M. J. WOLF

VOLUME 42, NOS. 1–6
JANUARY–NOVEMBER, 1965

Minneapolis, Minnesota
1965

Jones Press Inc., Minneapolis, Minn.

CONTENTS

NUMBER 1, JANUARY, 1965

PAGE

Automated Determination of the Dextrose Equivalent of Corn Starch Hydrolysates. *Lee D. Ough and Norman E. Lloyd* 1

Barley Starch. II. Some Properties of Barley Starch. *K. J. Goering and D. L. Brelsford* 15

Studies on the Dynamics of Cake-Baking. II. The Interaction of Chlorine and Liquid in the Formation of Layer-Cake Structure. *J. T. Wilson and D. H. Donelson* 25

Comparison of the Effects of N-Ethylmaleimide and Urea on Rheological Properties of Dough. *M. Jankiewicz and Y. Pomeranz* 37

UDPG-Alpha-Glucan Glucosyltransferase and Amylose Content of Some Starches during Their Development and under Various External Conditions. *N. P. Badenhuizen and K. R. Chandorkar* 44

On the Solubility of Gliadinlike Proteins. I. Solubility in Nonaqueous Media. *Peter Meredith* 54

On the Solubility of Gliadinlike Proteins. II. Solubility in Aqueous Acid Media. *Peter Meredith* 64

Isolation and Characterization of the 7S Component of Soybean Globulins. *R. C. Roberts and D. R. Briggs* 71

The Improving Mechanism of Ascorbic Acid. *C. C. Tsen* 86

Proteolytic Action of Wheat Flour on Nonfat Dry Milk Proteins. *J. E. Bernardin, D. K. Mecham, and J. W. Pence* 97

Communication to the Editor: Increase of the Viscosity Values of Gums during Storage of Rye Flour. *Vladimír Podrazký and Jaroslav Fantík* 107

Editorial Policy and Suggestions to Authors 109

NUMBER 2, MARCH, 1965

Wheat Beta-Amylases. I. Isolation. *K. H. Tipples and R. Tkachuk* 111

Effect of Moisture Content of Wheat and Flour on Endosperm Breakdown and Protein Displacement. *N. L. Kent* 125

The Amino Acid Composition of Hard Wheat Varieties as a Function of Nitrogen Content. *Frank N. Hepburn and William B. Bradley* 140

On the Solubility of Gliadinlike Proteins. III. Fractionation by Solubility. *Peter Meredith* 149

Effect of Esterified Phosphorus in Potato Starch on the Action Pattern of Salivary Alpha-Amylase. *Linda J. McBurney and M. Doreen Smith* 161

Light-Reflectance Meter Measures Degree of Milling and Parboiling of Parboiled Rice. *R. M. Johnson* 167

An Anomalous Low-Molecular-Weight Branched Component in Dent Corn Starch. *Stig R. Erlander, James P. McGuire, and R. J. Dimler* 175

Calcium Content of Wheat Kernel Sections by Critical Microradiography. *R. Katz and M. R. Querry* ... 187

A Note on the Polysaccharides of Wheat Flour Squeegee. *A. S. Perlin and S. Suzuki* ... 199

Some Interrelationships of Ascorbic Acid and Dehydroascorbic Acid in the Presence of Flour Suspensions and in Dough. *J. E. Carter and J. Pace* ... 201

Communication to the Editor: Properties of Dimethyl Sulfoxide-Pretreated Amylomaize Starch. *A. M. Mark, W. B. Roth, H. F. Zobel, and C. L. Mehltretter* ... 209

Molecular Weight of the Gamma-Gliadin Component of Wheat Gluten. *R. W. Jones, G. E. Babcock, and R. J. Dimler* ... 210

Editorial Policy ... 214

Number 3, May, 1965

A Study of the Relationship between Viscoelastic Properties and the Chemical Nature of Wheat Gluten and Glutenin. *J. E. Barney II, H. B. Pollock, and C. C. Bolze* ... 215

The Fatty Acids of Wheat and Its Milled Products. *M. P. Burkwall, Jr. and R. L. Glass* ... 236

Computer Evaluation and Machine Listing of Wheat Quality Data. *K. A. Gilles, L. D. Sibbitt, M. O. Holoien, and D. E. Peterson* ... 247

Classification of Puff-Pastry Fats and Margarines Based on Dough Firmness. *J. Lagendijk and J. van Dalfsen* ... 255

Studies on Short- and Long-Mixing Flours. I. Solubility and Electrophoretic Composition of Proteins. *J. D. Mullen and D. E. Smith* ... 263

Studies on Short- and Long-Mixing Flours. II. Relationship of Solubility and Electrophoretic Composition of Flour Proteins to Mixing Properties. *D. E. Smith and J. D. Mullen* ... 275

Corn Dry-Milling: Effect of Temper Time and Moisture Level on Degerminator Performance. *O. L. Brekke* ... 288

Chemical Studies on Some Nigerian Cereals. *O. L. Oke* ... 299

Effects of Some Organic Solvents on Extensigraph Characteristics of Dough. *H. G. Muller, I. Hlynka, and F. D. Kuzina* ... 303

Detection of Insect Infestations in Cereals by Measurement of Uric Acid. *S. W. Pixton* ... 315

The Effect of Various Glycerides on the Baking Properties of Starch Doughs. *G. R. Jackson and B. W. Landfried* ... 323

Editorial Policy and Suggestions to Authors ... 331

Number 4, July, 1965

Aging and Storage Studies in Flours and Air-Classified Flour Fractions. *Rezsoe Gracza* ... 333

Protein Content of Successive Peripheral Layers Milled from Wheat, Barley, Grain Sorghum, and Glutinous Rice by Tangential Abrasion. *Floyd L. Normand, Joseph T. Hogan, and Harold J. Deobald* ... 359

A Study on the Improvement of the Essential Amino Acid Balance of Corn Protein. I. Correlation between Racial and Varietal Characteristics and Lysine Levels of Corn. *F. Tello, M. A. Alvarez-Tostado, and G. Alvarado* ... 368

Comparison of the Rates of Absorption of Water by Corn Kernels with and without Dissolved Sulfur Dioxide. *Liang-tseng Fan, Huai-Chong Chen, John A. Shellenberger, and Do Sup Chung* 385

Reactions of Cysteine, Bromate, and Whey in a Rapid Breadmaking Process. *R. G. Henika and N. E. Rodgers* 397

Dough-Mixing Properties of Crude and Purified Glutens, *D. K. Mecham, Elaine G. Cole, and J. W. Pence* 409

Enzymatic Modification of Wheat Flour for Paper Sizing. *Rose M. Ward and J. E. Gastineau* 421

Communication to the Editor: Effect of Sodium Chloride on the Pasting of Wheat Starch Granules. *A. Jerome Ganz* 429

Communication to the Editor: Power-Input Meter for Laboratory Dough Mixers. *R. H. Kilborn and C. J. Dempster* 432

Erratum: Vol. 42, No. 3 (May 1965) 435

Editorial Policy and Suggestions to Authors 436

Number 5, September, 1965

Some Effects of High Levels of Gamma Irradiation on the Lipids of Wheat. *K. H. Tipples and F. W. Norris* 437

Zein: A Heterogeneous Protein Containing Disulfide-Linked Aggregates. *James E. Turner, Joyce A. Boundy, and R. J. Dimler* 452

Effect of the Kind and Proportion of Flour Components and of Sucrose Level on Cake Structure. *Virginia Baldi, Louise Little, and E. Elizabeth Hester* 462

Gel Formation as Related to Concentration of Amylose and Degree of Starch Swelling. *Mariette Ott and E. Elizabeth Hester* 476

Reactions of Oligosaccharides. I. Ferricyanide Numbers. *J. D. Commerford and B. L. Scallet* 485

Studies on Raw and Heated Wheat Germ for Young Chicks. *F. Attia and R. D. Creek* 494

The Effect of Storage Time on the Compositional Patterns of Rice Fatty Acids. *Ten-ching Lee, Wei T. Wu, and Virginia R. Williams* 498

Errata 505

Editorial Policy and Suggestions to Authors 506

Number 6, November, 1965

Evaluation of Enzyme-Modified, Solvent-Extracted Crambe Seed Meal by Chemical Analyses and Rat Feeding. *H. L. Tookey, C. H. VanEtten, J. E. Peters, and I. A. Wolff* 507

Studies on Short- and Long-Mixing Flours. III. Mixing Properties, Protein and Lipid Composition of Various Fractions. *D. E. Smith and J. D. Mullen* 515

The Nutritional Value of Wheat Milling By-Products for the Growing Chick. I. Availability of Energy. *N. A. G. Cave, S. J. Slinger, J. D. Summers, and G. C. Ashton* 523

The Nutritional Value of Wheat Milling By-Products for the Growing Chick. II. Evaluation of Protein. *N. A. G. Cave, J. D. Summers, S. J. Slinger, and G. C. Ashton* 533

Fungus Deterioration of Rice: Effects of Fungus Infection on Free Amino Acids and Reducing Sugars in White and Parboiled Rice. *Harry W. Schroeder* ... 539

Determination of Starch Damage by Rate of Iodine Absorption. *D. G. Medcalf and K. A. Gilles* 546

Wheat Starches. I. Comparison of Physicochemical Properties. *D. G. Medcalf and K. A. Gilles* 558

The Stability of Pyridoxine Added to Cereals. *W. R. Bunting* 569

A Note on the Disappearance of Radicals Trapped in Gamma-Irradiated Starch and Gluten. *C. C. Lee and Ching-hong Chen* 573

Communication to the Editor: A Test for Stinkbug Damage in Wheat. *W. T. Greenaway, M. H. Neustadt, and Lawrence Zeleny* 577

Communication to the Editor: Wet-Milling Characteristics of Class 8 Amylomaize. *R. A. Anderson* 580

Editorial Policy and Suggestions to Authors 582

Index to Volume XLII 583